

| | Hits | Search Text | DBs |
|----|------|--|-----------------|
| 1 | 64 | (low adj speed) with abnormalit\$4 | US-PGPUB; USPAT |
| 2 | 7 | ((low adj speed) with abnormalit\$4) same (processor or cpu) | US-PGPUB; USPAT |
| 3 | 2 | ((low adj speed) with abnormalit\$4) same (clock or oscillator) | US-PGPUB; USPAT |
| 4 | 110 | (low adj speed) with (clock or oscillator) with (error or abnormal\$6 or glitch or problem or irregular\$6) | US-PGPUB; USPAT |
| 5 | 30 | (low adj speed) with (clock or oscillator) with (error or abnormal\$6 or glitch or problem or irregular\$6) with (detect\$3 or determin\$6) | US-PGPUB; USPAT |
| 6 | 841 | (low\$2) with (clock or oscillator) with (error or abnormal\$6 or glitch or problem or irregular\$6) with (detect\$3 or determin\$6) | US-PGPUB; USPAT |
| 7 | 113 | ((low\$2) near3 (clock or oscillator)) with ((error or abnormal\$6 or glitch or problem or irregular\$6) near4 (detect\$3 or determin\$6)) | US-PGPUB; USPAT |
| 8 | 7 | ((low\$2) near3 (clock or oscillator)) with ((error or abnormal\$6 or glitch or problem or irregular\$6) near4 (detect\$3 or determin\$6))) same (processor or micro\$1processor or cpu) | US-PGPUB; USPAT |
| 9 | 22 | ((low\$2) with (clock or oscillator) with (error or abnormal\$6 or glitch or problem or irregular\$6) with (detect\$3 or determin\$6))) and "713"/\$3.ccls. | US-PGPUB; USPAT |
| 10 | 11 | ((sleep or power) adj mode) with (error or abnormal\$6 or glitch or problem or irregular\$6) with (detect\$3 or determin\$6)) and "713"/\$3.ccls. | US-PGPUB; USPAT |
| 11 | 13 | ((wak\$3) with (error or abnormal\$6 or glitch or problem or irregular\$6) with (detect\$3 or determin\$6)) and "713"/\$3.ccls. | US-PGPUB; USPAT |

| | Hits | Search Text | DBs |
|----|------|---|-----------------|
| 12 | 0 | ((speed) adj2 (clock or oscillator)) with ((error or abnormal\$6 or glitch or problem or irregular\$6) near4 (detect\$3 or determin\$6))) same (processor or micro\$1processor or cpu) | US-PGPUB; USPAT |
| 13 | 21 | ((speed) adj2 (clock or oscillator))) same ((error or abnormal\$6 or glitch or problem or irregular\$6) near4 (detect\$3 or determin\$6))) same (processor or micro\$1processor or cpu) | US-PGPUB; USPAT |
| 14 | 1 | ((speed) adj2 (clock or oscillator))) same ((error or abnormal\$6 or glitch or problem or irregular\$6) near4 (detect\$3 or determin\$6)) with condition) | US-PGPUB; USPAT |
| 15 | 114 | ((speed) adj2 (clock or oscillator))) same ((error or abnormal\$6 or glitch or problem or irregular\$6) near4 (detect\$3 or determin\$6))) | US-PGPUB; USPAT |
| 16 | 7 | ((((speed) adj2 (clock or oscillator))) same ((error or abnormal\$6 or glitch or problem or irregular\$6) near4 (detect\$3 or determin\$6)))) and (sleep or suspend) | US-PGPUB; USPAT |
| 17 | 2 | ((((speed) adj2 (clock or oscillator))) same ((error or abnormal\$6 or glitch or problem or irregular\$6) near4 (detect\$3 or determin\$6)))) and (power adj mode) | US-PGPUB; USPAT |
| 18 | 490 | ((detect\$3 or determin\$6) adj4 (error or abnormal\$6 or glitch or problem or irregular\$6)) same (sleep or suspend or (power adj mode)) | US-PGPUB; USPAT |
| 19 | 17 | ((detect\$3 or determin\$6) adj4 (error or abnormal\$6 or glitch or problem or irregular\$6)) with (sleep or suspend or (power adj mode)) with during | US-PGPUB; USPAT |

| | Hits | Search Text | DBs |
|----|------|--|-----------------|
| 20 | 0 | ((detect\$3 or determin\$6) adj4 (error or abnormal\$6 or glitch or problem or irregular\$6)) with (sleep or suspend or (power adj mode)) with while | US-PGPUB; USPAT |
| 21 | 17 | ((detect\$3 or determin\$6) adj4 (error or abnormal\$6 or glitch or problem or irregular\$6)) with (sleep or suspend or (power adj mode)) with (while or during) | US-PGPUB; USPAT |
| 22 | 23 | ((detect\$3 or determin\$6) adj4 (error or abnormal\$6 or glitch or problem or irregular\$6)) with (sleep or suspend or (power adj mode)) with (micro\$1processor or processor or cpu) | US-PGPUB; USPAT |
| 23 | 214 | ((detect\$3 or determin\$6) adj4 (error or abnormal\$6 or glitch or problem or irregular\$6)) with (sleep or suspend or (power adj mode)) | US-PGPUB; USPAT |
| 24 | 14 | ((detect\$3 or determin\$6) adj4 (error or abnormal\$6 or glitch or problem or irregular\$6)) with (sleep or suspend or (power adj mode))) and "713"/\$3.ccls. | US-PGPUB; USPAT |
| 25 | 31 | ((detect\$3 or determin\$6) adj4 (error or abnormal\$6 or glitch or problem or irregular\$6)) with (wak\$3) | US-PGPUB; USPAT |
| 26 | 33 | ("5150361" "5210749" "5444856" "5551043" "5560022" "5561821" "5682552" "5691981" "5742833" "5751951" "5757773" "5761429" "5787084" "5815652" "5822300" "5826068" "5835719" "5905867" "5915119" "5937169" "5938728" "5938771" "5940771" "5949974" "6002340" "6105079" "6115387" "6157623" "6167054" "6192028" "6195334" "6223305" "6226680") .PN. | USPAT |
| 27 | 1929 | ((clock or oscillator))) same (((fluctuat\$5 or fault) near4 (detect\$3 or determin\$6))) | US-PGPUB; USPAT |

| | Hits | Search Text | DBs |
|----|------|--|-----------------|
| 47 | 4 | (multiplex adj communication adj system) with (reset\$6) | US-PGPUB; USPAT |
| 48 | 1 | (multiplex adj communication adj system) same (((high or low) adj frequency) with clock) | US-PGPUB; USPAT |
| 49 | 15 | (multiplex adj communication adj system) and (((high or low) adj frequency) with clock) | US-PGPUB; USPAT |
| 50 | 8 | (abnormality) with (((high or low) adj frequency) with clock) | US-PGPUB; USPAT |
| 51 | 2 | (multiplex adj communication adj system) with (reset\$6) | EPO; JPO |
| 52 | 2 | (multiplex adj communication adj system) and (((high or low) adj frequency) with clock) | EPO; JPO |
| 53 | 4 | (abnormality) with (((high or low) adj frequency) with clock) | EPO; JPO |